

DATA SHEET



RECEIPT PRINTER

BASIC 230 STYLE

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY

CONNECTIVITY



USB



ETHERNET



SERIAL

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of** warranty and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET BASIC 230 STYLE

IMPRESIÓN

METHOD Direct thermal

DENSITY 203 dpi by default. 180 dpi by emulation

SPEED 230 mm/seg

INTERFACES USB, SERIAL and ETHERNET included

EMULATION ESC/POS
TICKET OUTPUT Above
COLUMN WIDTH 72 mm

PAPER SIZE Width: 80mm / Diameter: 83 mm

OPERATING SYSTEM Windows XP / Win7/Win8 / Win10 / Win Server, POSReady, Linux, OPOS, MAC sdk: Windows, Android, IOS

BARCODES

1D UPC-A, UPC-E, EAN-8, EAN-13, CODE 39, ITF, CODEBAR, CODE 128, CODE 93

2D QR and PDF-417

MEMORY

RAM 4 mb FLASH 4 mb

SENSORS

STANDARD Head overtemperature, end of paper, open cover and paper jam

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS 14 cms (Width) x 17.9 cms (Depth) x 11.7 cms (Height)

ENERGY

CASH DRAWER DC 24V/1.5A

EXTERNAL POWER SUPPLY AC 110V/ 220V - 50-60Hz

ENVIRONMENTAL CONDITIONS

OPERATIONS

0°C up to 45°C / 5% relative humidity up to 95% max. humidity

STORAGE

-20°C up to 70° C / 15% relative humidity up to 95% max. humidity

RELIABILITY

CUTTER Automatic / 1.5 million cuts / Partial cutting

PRINTHEAD LIFE 100 Kms.

ACCESSORIES

INCLUDED Power supply, power cable, USB cable

OPTIONAL N/A

CONTENTS OF THE BOX

INCLUYE BASIC 230 STYLE receipt printer, power supply, power cable, USB cable, driver CD, user manual, warranty certificate

WARRANTY

STANDARD WARRANTY 1 Year against manufacturing defects.

POS-D WARRANTY 2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link:

www.pos-d.com/en/pos-dwarranty



www.pos-d.com