

POS-D
WELCOME SUCCESS

DATA SHEET



LABEL PRINTER

LP 300X

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY

CONNECTIVITY



USB



ETHERNET



SERIAL

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of warranty** and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET LP 300X

PRINTING

METHOD	Direct thermal and thermal transfer
RESOLUTION	203 dpi
SPEED	6" per second
ROLL	300 meter transfer roll / wax tape, wax-resin and resin
PRINT WIDTH	Width: 10,8cms (4,25") / Length: 120cms (47")
RELIABILITY	Printhead 50 kms
MEMORY	RAM: 32MB / ROM: 16MB
SOFTWARE	SDK: Windows, Mac OS, Android, IOS Drivers: Windows Vista / Win7/Win8 /Win10/ Win Server 2008/Server 2012/ Server 2016

SENSORS

ELECTRICAL SENSOR	Dual electrical GAP sensor for detecting multi-strand labels
BLACK MARK	Black mark sensor paper rolls
OTHERS	Head-Up sensor, ribbon end, paper end

BARCODES

BARCODES	Code 39, Code 93, Code 128 UCC, Codebar, Interleave 2 of 5 EAN8, EAN13, UCC/EAN128, UPC-A, UPC-E, MSI, PLESSEY, POSTNET, RSS-Stacked GSI DataBar, Code 11, QR Code, PDF 417, DataMatrix, Aztec
----------	--

CONNECTIVITY

PORTS	SERIAL, USB, ETHERNET included
-------	--------------------------------

ACCESSORIES

INCLUDED	Software for label design and printing (doesn't handle database) Transparent top cover to visualize supplies consumption
OPTIONAL	External tray for high volume label rolls Label cutting module Peel Off module

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS	22,6 cms (Width) x 28,5 cms (Depth) x 17,1 cms (Height)
PRODUCT WEIGHT	2,26 kgs
BOX DIMENSIONS	27,5 cm (Width) x 31,5 cm (Depth) x 22 cm (Height)
WEIGHT WITH BOX	2,7 kgs

ENERGY

POWER SUPPLY	External power supply 24V, 2.5A, 60W autovoltage
--------------	--

ENVIRONMENTAL CONDITIONS

OPERATIONS	(5°C up to 40°C)
STORAGE	(-40°C up to 60°C)

CONTENTS OF THE BOX

INCLUDED	LP 300X label printer, power supply, power cable, 8" external roll holder, driver, user manual, warranty certificate
----------	--

WARRANTY

STANDARD WARRANTY	1 Year against manufacturing defects.
POS-D WARRANTY	2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link: www.pos-d.com/en/pos-dwarranty

*Point of sale management software not included.

POS-D

WELCOME SUCCESS

www.pos-d.com