

TOOLS FOR SUCCESS



RECEIPT PRINTER

PRO 260 STYLE



POS-D

WELCOME SUCCESS

YOUR SUCCESS OUR MISSION

This is our main objective, which is why we have been focused for more than a decade on promoting the success of our customers' businesses, where the excellent quality-price ratio of our products, together with a strong customer service culture, have become fundamental signs of our own identity.

These are the features that have allowed us to position ourselves as one of the most valued brands in the market, precisely because of our ability to closely accompany our customers and become for them, more than a supplier of equipment for the point of sale, an essential strategic ally for the success of their business.

OUR COMMITMENTS



POS-D WARRANTY

Register this product to obtain an additional year of warranty and benefit from a total of 2 years warranty against manufacturing defects.



LOCAL SUPPORT IN YOUR LANGUAGE

We have a local technical support network in your language, to be there for you when you need it most.



EXCELLENT PRICE/QUALITY RATIO

We are always committed to offering you the best price-quality ratio products on the market.



COMMERCIAL ADVICE

Do not hesitate to contact us to solve all your doubts, we will be pleased to help you.

PRO 260 STYLE

RECEIPT PRINTER

FAMILY: **STYLE**

PERFORMANCE: **INTENSE**

Robust and reliable thermal receipt printer with elegant design, ideal for all businesses whose daily ticket printing volume is high and are looking to bring style to their point of sale.



- > Print speed 260mm x sec with front output
- > 3 ports included usb, serial and ethernet
- > Rugged plastic housing
- > 1D and 2D barcode printing
- > ESC/POS emulation
- > Windows, IOS, Android and Linux compatible
- > Status indicator (error, ready, busy and out of paper)

THREE
PORTS
INCLUDED



FRONT
PRINTING
OF TICKETS

PARTIAL CUT



TOTAL CUT



RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY

CONNECTIVITY



USB



ETHERNET



SERIAL

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of warranty** and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET PRO 260 STYLE

PRINTING

METHOD	Direct thermal
DENSITY	203 dpi by default. 180 dpi by emulation
SPEED	260 mm/seg
INTERFACES	USB, SERIAL and ETHERNET included
TICKET OUTPUT	Front
COLUMN WIDTH	72 mm
PAPER SIZE	Width: 80mm / Diameter: 83 mm
OPERATING SYSTEM	Windows XP / Win7/Win8 /Win10/ Win Server, POSReady, Linux, OPOS, MAC sdk : Windows, Android, IOS

BARCODES

1D	UPC-A, UPC-E, EAN-8, EAN-13, CODE 39, ITF, CODEBAR, CODE 128, CODE 93
2D	QR y PDF-417

MEMORY

RAM	16 MB
FLASH	16 MB

SENSORS

STANDARD	End of paper and open cover, colored LED status indicator light (error, ready, busy and paper running out)
----------	--

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS	13 cms (Width) x 16.5 cms (Depth) x 12 cms (Height)
PRODUCT WEIGHT	1.35 kgs.
BOX DIMENSIONS	22 cms (Width) x 20.5 cms (Depth) x 15.5 cms (Height)
WEIGHT WITH BOX	2 kgs.

ENERGY

CASH DRAWER	DC 24V / 1A
EXTERNAL POWER SUPPLY	AC 110V/ 220V - 50-60Hz - DC 24V/2A

ENVIRONMENTAL CONDITIONS

OPERATIONS	0°C up to 45°C / 10% relative humidity up to 90% max. humidity
STORAGE	-10°C up to 60° C / 10% relative humidity up to 90% max. humidity

RELIABILITY

CUTTER	Automatic / 2 million cuts / Partial or full cut
PRINthead LIFE	150 Kms.

ACCESSORIES

INCLUDED	Power supply, power cable, USB cable
OPTIONAL	N/A

CONTENTS OF THE BOX

INCLUDED	PRO 260 STYLE receipt printer, power supply, power cable, USB cable, demo roll, CD, user manual, warranty certificate
----------	---

WARRANTY

STANDARD WARRANTY	1 Year against manufacturing defects.
POS-D WARRANTY	2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link: www.pos-d.com/en/pos-dwarranty

*Point of sale management software not included.

POS-D
WELCOME SUCCESS

www.pos-d.com