

DATA SHEET



WIRELESS BARCODE SCANNER

PRO SCAN BT

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY

CONNECTIVITY



USB



BLUETOOTH

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of** warranty and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET PRO SCAN BT

READING

METHOD Image CMOS Image Sensor

COMMUNICATION Bluetooth 5.0 (range 100 meters line of sight)

IMAGE SENSOR 640 x 480 pixels
CONNECTIVITY USB port

READING RANGE Up to 100 meters from the base (open area)

BARCODE READING

1D Code128, UCC/EAN-1 28, AIM128, EAN-8, EAN-1 3, ISBN/ISSN, UPC-E, UPCA, Interleaved 2 of 5, ITF-6, ITF-4,

Matrix 2 of 5, Industrial 25, Standard 25, Code39, Codabar, Code 93, Code11, Plessey, MSI-Plessey, RSS-14. RSS-Limited.

RSS-Expand etc.

2D PDF417, QR Code, Data Matrix, HanXin, Maxicode, Postal Codes etc.

RESOLUTION 4 m

READING QUALITY Damaged barcodes, poor print quality

READING POWER Code reading on electronic displays or PC monitors

MEMORY

RAM 4MB (can store up to 8,000 EAN 13 codes)

ENERGY

CAPACITY 2600 mA lithium

CHARGETIME 6 hours

CHARGE DURATION 12 hours of continuous scanning
CONSUMPTION Standby: 0.4 Watts / Working: 1.2 Watts
CURRENT Standby: 50 mA / Working: 230 Ma

VOLTAGE 5+/- 0.25 VCD

SAFETY STANDARD

IP IP-42

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS 6.8 cms (Width) x 10 cms (Depth) x 16.5 cms (Height) (without stand)

PRODUCT WEIGHT 135 grams (without stand)

ACCESSORIES

INCLUDED USB cable
OPTIONALS Plastic base

CONTENTS OF THE BOX

INCLUDED PRO SCAN BT wireless barcode scanner, USB cable, user manual, warranty certificate

WARRANTY

STANDARD WARRANTY 1 Year against manufacturing defects.

POS-D WARRANTY 2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link:

www.pos-d.com/en/pos-dwarranty



www.pos-d.com