

DATA SHEET



ALL IN ONE POS SYSTEM

RANGER 66

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR

CONNECTIVITY





USB



RJ 45



VGA



RJ 11

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of** warranty and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET RANGER 66

SYSTEM

PROCESSOR 2.42 GHz Intel Celeron Quad Core Bay Trail J-1900

RAM MEMORY 4GB DDR3 expandable to 8GB

LOGIC CORE Intel Bay Trail

NETWORK 10M/100M/1000M Base-T Fast Ethernet

DESIGN 100% FANLESS

SUPPORTED OPERATING SYSTEM Windows 7, 8, 10, POS Ready 7

STORAGE

HARD DISK 500 GB SSD SATA 128 GB

INPUT AND OUTPUT PORTS

SERIAL PORTS 3 external COM

USB PORTS 4 external : 3 USB 2.0, 1 USB 3.0

ETHERNET PORT RJ-45 10/100/1000

 VGA PORT
 1 DB-15

 CASH DRAWER
 1 RJ-11 (12 volts)

 DC-IN
 12 volts DC-IN

 POWER SWITCH
 1 power switch

SCREEN

 LCD
 15" TFT LCD Panel

 MAXIMUM RESOLUTION
 1024 x 768

 BRIGHTNESS
 300 nits

TOUCH SCREEN Flat Touch Screen, 5-wire, Resistive Panel

DISPLAY FRAME Bezel Free

RACKABLE Disassembling the support base

ACCESSORIES

INCLUDED Power supply, power cable

OPTIONALS Customer display green LED light 2 rows of 20 characters each

Magnetic stripe reader with 3 tracks reading Non-touch customer facing screen 10" LCD

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS 36 cms (Width) x 20 cms (Depth) x 33.2 cms (Height)

PRODUCT WEIGHT 4.9 k

BOX DIMENSIONS 45 cms (Width) x 29 cms (Depth) x 54 cms (Height)

WEIGHT WITH BOX 5.2 kgs.

ENVIRONMENT CONDITIONS

CASE Resistant ABS plastic

OPERATIONS 0°C to 40°C / 20% humidity to 90% humidity max. STORAGE -20°C to 60°C / 10% humidity to 90% humidity max.

SECURITY

SAFETY STANDARDS CCC / CE / FCC

CONTENTS OF THE BOX

INCLUDED RANGER 66 All in one POS system, power supply, power cable, user manual, warranty certificate

WARRANTY

STANDARD WARRANTY 1 Year against manufacturing defects.

POS-D WARRANTY 2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link:

www.pos-d.com/en/pos-dwarranty



www.pos-d.com