

DATA SHEET



TOUCH SCREEN

TOUCH 15S

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY

CONNECTIVITY



USB



VGA



HDMI

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of warranty** and benefit from a total of **2 years warranty** against manufacturing defects.

DATA SHEET TOUCH 15S

DISPLAY

SIZE	15" diagonal TFT active matrix LED backlight
RESOLUTION	1024 x 768
BRIGHTNESS	300 cd/m2 (typ.)
CONTRAST	600:1 (typ.)
ANGLE OF VIEW	160 degrees horizontal / 145 degrees vertical
BACKLIGHT MTBF	30,000 hours

CASE

MATERIAL	Resistant ABS plastic
COLOUR	Black

CONNECTIVITY

USB PORTS	1 USB (TOUCH)
VGA PORT	1 VGA 15 pins
HDMI PORT	1 integrated
EXTERNAL SOURCE	AC 110/ 220V - 50-60Hz - DC-IN 12V

ACCESSORIES

INCLUDED	Power supply, power cable
OPTIONAL	N/A

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS	36 cms (Width) x 20 cms (Depth) x 35 cms (Height)
PRODUCT WEIGHT	3.7 kgs
BOX DIMENSIONS	45,5 cms (Width) x 29,5 cms (Depth) x 44,5 cms (Height)
WEIGHT WITH BOX	4.5 Kgs

ENVIRONMENTAL CONDITIONS

HUMIDITY	From 20% up to 90% humidity
OPERATING TEMPERATURE	0°C up to 40°C
STORAGE TEMPERATURE	-20°C up to 60°C

SECURITY

SAFETY STANDARDS	CE / FCC
IP	IP-54

CONTENTS OF THE BOX

INCLUDED	TOUCH 15S touch screen, power supply, power cable, user manual, warranty certificate
----------	--

WARRANTY

STANDARD WARRANTY	1 Year against manufacturing defects.
POS-D WARRANTY	2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link: www.pos-d.com/en/pos-dwarranty

POS-D
WELCOME SUCCESS

www.pos-d.com