

DATA SHEET



RECEIPT PRINTER

TP 300 PRO

RECOMMENDED APPLICATIONS



FOOD SERVICES



RETAIL



ENTERTAINMENT



SERVICES



EDUCATION



HEALTHCARE



PUBLIC SECTOR



LOGISTICS



MANUFACTURE



PRIMARY INDUSTRY



CONNECTIVITY



USB



ETHERNET



SERIAL

POS-D WARRANTY

Don't forget to register this product on our warranty platform to obtain an **additional year of**warranty and benefit from a total of 2 years warranty against manufacturing defects.

DATA SHEET TP 300 PRO

PRINTING

METHOD Direct thermal

DENSITY 203 dpi by default. 180 dpi by emulation

SPEED 300 mm/seg

INTERFACES USB, SERIAL and ETHERNET included

TICKET OUTPUT Above
COLUMN WIDTH 72 mm

PAPER SIZE Width: 80mm / Diameter: 83 mm

OPERATING SYSTEM Windows XP / Win7/Win8 / Win10 / Win Server, POSReady, Linux, OPOS, MAC sdk: Windows, Android, IOS

BARCODES

1D UPC-A, UPC-E, EAN-8, EAN-13, CODE 39, ITF, CODEBAR, CODE 128, CODE 93

2D QR y PDF-417

MEMORY

RAM 2 MB FLASH 4 MB

SENSORS

STANDARD End of paper and open cover

PHYSICAL CHARACTERISTICS

PRODUCT DIMENSIONS 14 cms (Width) x 17 cms (Depth) x 14 cms (Height)

PRODUCT WEIGHT 2.2 kg

BOX DIMENSIONS 21 cms (Width) x 19.5 cms (Depth) x 16 cms (Height)

WEIGHT WITH BOX 2.75 kgs.

ENERGY

CASH DRAWER DC 24V/1A

EXTERNAL POWER SUPPLY AC 110V / 220V - 50-60Hz - DC 24V / 2A

ENVIRONMENTAL CONDITIONS

OPERATIONS 0°C up to 45° C / 10° relative humidity up to 90° max. humidity STORAGE -10°C up to 60° C / 10° relative humidity up to 90° max. humidity

RELIABILITY

CUTTER Automatic / 2 million cuts / Partial cutting

PRINTHEAD LIFE 150 Kms.

ACCESSORIES

INCLUDED Power supply, power cable, USB cable

OPTIONAL Top cover for water drip cover / rear cable cover / kitchen buzzer / wall mounting kit

CONTENTS OF THE BOX

 $INCLUDED \\ TP 300 PRO \ receipt \ printer, power supply, power cable, USB cable, demo \ roll, driver CD, user manual, warranty certificate and the printer of the printer$

WARRANTY

STANDARD WARRANTY 1 Year against manufacturing defects.

POS-D WARRANTY 2 Years against manufacturing defects, subject to product registration in our warranty registration platform at the following link:

www.pos-d.com/en/pos-dwarranty



www.pos-d.com